
# Spare parts


Maschinennummer
20015900201

Gerätename
**GL4-REAR MOUNTING SENSOR 60-140-245**

Kunde
MG Equipment Co.



FISCHER

## 200.06.020.022 D - Group Arm GL4-140-60




| Prosition | Menge | Bezeichnung | Modell | Kodex | Revision |
|---|---|---|---|---|---|
| 1 | 1 | Kit Arm | GL4-140-60 | 025.15.120.036 | D |
| 2 | 1 | Kit Arm | GL4-140-60 | 025.15.120.038 | D |
| 3 | 1 | Kit Slipway For Swing Arm | GL4-140 | 025.10.110.034 | A |


## 025.15.120.036 D - Kit Arm GL4-140-60




| Prosition | Menge | Bezeichnung | Modell | Kodex | Revision |
|---|---|---|---|---|---|
| 1 | 2 | Spaver Ring | D13 X CH41 X 12 | 002.55.110.014 | |
| 2 | 1 | Kit Armholder | GL4 | 025.15.100.001 | A |
| 3 | 1 | Kit Bearing Bracket | GL4 | 025.15.100.003 | |
| 4 | 1 | Spring Washer | 12,2 X 21,1 X 2,5 DIN 127 | 002.50.100.002 | |
| 5 | 1 | Washer | 21,0 X 37,0 X 3,0 DIN 125-A | 002.55.110.008 | |
| 6 | 2 | Hexagon Screw | M16 X 45 X 1,5 UNI 5740 8.8 ZN | 002.60.150.027 | |
| 7 | 6 | Washer | 13,0 X 37,0 X 3,0 DIN 9021 | 002.55.110.016 | |
| 8 | 1 | Lock Nut | M20 DIN 985 | 002.35.110.007 | |
| 9 | 7 | Washer | 13,0 X 24,0 X 2,5 DIN 125-A | 002.55.110.005 | |
| 10 | 2 | Lock Nut | M16 X 1,5 DIN 982 | 002.35.110.009 | A |
| 11 | 6 | Lock Nut | M12 X 1,25 DIN 985 | 002.35.110.016 | |
| 12 | 6 | Hexagon Screw | M12 X 40 X 1,25 UNI 5740 8.8 Z | 002.60.150.059 | |
| 13 | 1 | Kit Precision Sensor | GL4 FT+STEUERUNG+ HALTER | 025.35.100.001 | B |
| 14 | 1 | Belt Pulley | 1SPB 180 KONISCH H=45 GL4 | 004.15.150.009 | |
| 15 | 1 | Sensor | 600 LINKS | 002.70.100.006 | |
| 16 | 1 | Drive Belt | SPB 2000 | 004.15.100.062 | |
| 17 | 1 | Lock Nut | M12 DIN 982 | 002.35.110.001 | |


| | | | | | |
|---|---|---|---|---|---|
| 18 | 1 | Arm Left Precision Sensor Complete | GL4-140-60 | 001.10.100.122 | A |
| 19 | 1 | Swing Disk 600 Left | GL4 D.600 | 001.10.171.059 | |
| 20 | 2 | Kit Slipping Disc For Swing Arm | GL4 | 025.10.110.029 | |

## 025.15.100.001 A - Kit Armholder GL4





| Prosition | Menge | Bezeichnung | Modell | Kodex | Revision |
|---|---|---|---|---|---|
| 1 | 1 | Belt Pulley | 1SPB 200 GL4 D52 | 004.15.150.010 | |
| 2 | 1 | Retaining Ring | D90 X 3,0 UNI 7435 | 002.50.130.007 | |
| 3 | 1 | Adjustment Spring | 10 X 8 X 45 DIN 6885 | 002.20.130.002 | |
| 4 | 1 | Retaining Ring | D52 X 2,0 UNI 7435 | 002.50.130.005 | |
| 5 | 1 | Protection Ring | D90 X D140 X 2 | 004.20.100.002 | |
| 6 | 1 | Retaining Ring | D140 X 4,0 UNI 7437 | 002.50.130.002 | |
| 7 | 1 | Armholder Support | GL4 | 001.10.110.004 | |
| 8 | 1 | Ball Bearing | D90 X D140 X 16 - 16018 | 002.30.100.001 | |
| 9 | 4 | Hexagon Screw | M12 X 40 X 1,25 UNI 5740 8.8 Z | 002.60.150.059 | |
| 10 | 4 | Lock Nut | M12 X 1,25 DIN 982 | 002.35.110.020 | |
| 11 | 1 | Kit Bearing Bracket | GL4 | 025.15.100.107 | |
| 12 | 1 | Grease Nipple | M06 X 1 DIN 71412 | 002.60.120.005 | |

## 025.15.100.107 - Kit Bearing Bracket GL4





| Prosition | Menge | Bezeichnung | Modell | Kodex | Revision |
|---|---|---|---|---|---|
| 1 | 1 | Drive Shaft | GL4 | 005.20.100.008 | |
| 2 | 1 | Retaining Ring | D110 X 4,0 UNI 7437 | 002.50.130.008 | |
| 3 | 1 | Ball Bearing | D60 X D110 X 22 - 6212 2RS | 002.30.100.008 | |
| 4 | 1 | Bearing Housing | GL4 | 004.20.100.010 | |
| 5 | 1 | Coverring | D60 X D110 X 2 | 004.20.100.011 | |
| 6 | 1 | Radial Shaft Seal Ring | D60 X D75 X 8 DIN 3760-AS NBR | 002.50.120.005 | |

## 025.15.100.003 - Kit Bearing Bracket GL4





| Prosition | Menge | Bezeichnung | Modell | Kodex | Revision |
|---|---|---|---|---|---|
| 1 | 1 | Spacer Ring | D35,5 X D44,5 X 13 | 002.50.110.004 | |
| 2 | 1 | Spacer Ring | D35,2 X D45 X 9 | 002.50.110.002 | |
| 3 | 1 | Adjustment Spring | 10 X 8 X 35 DIN 6885 | 002.20.130.008 | |
| 4 | 1 | Bearing Housing | GL4 | 004.20.100.012 | |
| 5 | 1 | Grease Nipple | M10 X 1 DIN 71412 | 002.60.120.002 | |
| 6 | 1 | Drive Shaft | M40 X 3 RECHTS | 005.20.100.006 | A |
| 7 | 1 | Radial Shaft Seal Ring | D45 X D72 X 8 DIN 3760-A NBR | 002.50.120.003 | |
| 8 | 2 | Ball Bearing | D35 X D72 X 23 - 4207 | 002.30.100.002 | |
| 9 | 1 | Radial Shaft Seal Ring | D45 X D72 X 8 DIN 3760-AS NBR | 002.50.120.004 | |

## 025.35.100.001 B - Kit Precision Sensor GL4 FT+STEUERUNG+ HALTER





| Prosition | Menge | Bezeichnung | Modell | Kodex | Revision |
|---|---|---|---|---|---|
| 1 | 1 | Lock Nut | M12 DIN 982 | 002.35.110.001 | |
| 2 | 1 | Washer | 13,0 X 24,0 X 2,5 DIN 125-A | 002.55.110.005 | |
| 3 | 1 | Sensorholder | GL4 | 002.70.100.005 | |
| 4 | 1 | Hexagon Screw | M12 X 60 UNI 5737 8.8 ZN | 002.60.150.001 | |
| 5 | 1 | Bearing Housing Sensor Holder | GL4 | 004.20.100.154 | |
| 6 | 2 | Ball Bearing | D25 X D52 X 15 - 6205 2RS | 002.30.100.005 | |
| 7 | 1 | Washer | 25,0 X 44,0 X 4,0 DIN 125-A | 002.55.110.003 | |
| 8 | 1 | Spring | D20 X D3 X 70 | 002.20.130.007 | |
| 9 | 1 | Lifting Eye Bolt | M08 X 50 | 002.60.130.005 | |
| 10 | 1 | Lock Nut | M08 DIN 982 | 002.35.110.008 | |
| 11 | 1 | Hexagon Screw | M08 X 50 UNI 5739 8.8 ZN | 002.60.150.015 | |
| 12 | 4 | Lock Washer | 08,1 X 14,8 X 2,0 DIN 127 | 002.50.100.005 | |
| 13 | 1 | Controller Precision Sensor | GL4 | 003.30.100.001 | |
| 14 | 1 | Hexagon Screw | M08 X 65 UNI 5739 8.8 ZN | 002.60.150.109 | |
| 15 | 3 | Hexagon Nut | M08 UNI 5589 ZN | 002.35.100.009 | |
| 16 | 3 | Washer | 08,4 X 16,0 X 1,6 DIN 125-A | 002.55.110.010 | |
| 17 | 1 | Hexagon Screw | M08 X 20 UNI 5739 8.8 ZN | 002.60.150.034 | |
| 18 | 1 | Retaining Ring | D25 X 1,2 UNI 7435 | 002.50.130.019 | |
| 19 | 3 | Bolt | M08 X 20 UNI 5931 8.8 N | 002.60.100.013 | |
| 20 | 2 | Hexagon Screw | M10 X 20 UNI 5739 10.9 ZN | 002.60.150.153 | |
| 21 | 1 | Rotating Element For Sensor Left | GL4 | 004.20.100.157 | |
| 22 | 1 | Headless Screw | M08 X 10 DIN 914 ZN | 002.60.110.008 | |

## 003.30.100.001 - Controller Precision Sensor GL4





| Prosition | Menge | Bezeichnung | Modell | Kodex | Revision |
|---|---|---|---|---|---|
| 1 | 1 | Controller Piston | | 003.30.110.006 | |
| 2 | 1 | Cover | | 003.30.110.005 | |
| 3 | 1 | Protection Rubber | BM30/40 BC40 | 003.30.110.014 | |
| 4 | 1 | Kit Rubber Protection | | 003.30.110.004 | |
| 5 | 1 | Spring | D.2,5 X BM40 | 003.30.110.015 | |
| 6 | 1 | Protection | | 003.30.110.007 | |
| 7 | 1 | Spring | DBCC014000 | 003.30.110.008 | |
| 8 | 1 | Kit | DBCC064000 | 003.30.110.009 | |

## 025.10.110.029 - Kit Slipping Disc For Swing Arm GL4




| Prosition | Menge | Bezeichnung | Modell | Kodex | Revision |
|---|---|---|---|---|---|
| 1 | 1 | Sliding Disk | GL4 | 002.55.110.037 | |
| 2 | 1 | Hexagon Screw | M12 X 25 UNI 5739 8.8 ZN | 002.60.150.033 | |
| 3 | 1 | Spring Washer | 12,2 X 21,1 X 2,5 DIN 127 | 002.50.100.002 | |
| 4 | 1 | Washer | 13,0 X 48,0 X 2,5 DIN 9021 | 002.55.110.001 | |


## 025.15.120.038 D - Kit Arm GL4-140-60




| Prosition | Menge | Bezeichnung | Modell | Kodex | Revision |
|---|---|---|---|---|---|
| 1 | 2 | Spaver Ring | D13 X CH41 X 12 | 002.55.110.014 | |
| 2 | 1 | Kit Armholder | GL4 | 025.15.100.001 | A |
| 3 | 1 | Spring Washer | 12,2 X 21,1 X 2,5 DIN 127 | 002.50.100.002 | |
| 4 | 1 | Washer | 21,0 X 37,0 X 3,0 DIN 125-A | 002.55.110.008 | |
| 5 | 2 | Hexagon Screw | M16 X 45 X 1,5 UNI 5740 8.8 ZN | 002.60.150.027 | |
| 6 | 6 | Washer | 13,0 X 37,0 X 3,0 DIN 9021 | 002.55.110.016 | |
| 7 | 1 | Lock Nut | M20 DIN 985 | 002.35.110.007 | |
| 8 | 1 | Kit Bearing Bracket | GL4 | 025.15.100.002 | |
| 9 | 7 | Washer | 13,0 X 24,0 X 2,5 DIN 125-A | 002.55.110.005 | |
| 10 | 2 | Lock Nut | M16 X 1,5 DIN 982 | 002.35.110.009 | A |
| 11 | 6 | Hexagon Screw | M12 X 40 X 1,25 UNI 5740 8.8 Z | 002.60.150.059 | |
| 12 | 6 | Lock Nut | M12 X 1,25 DIN 985 | 002.35.110.016 | |
| 13 | 1 | Kit Precision Sensor | GL4 FT+STEUERUNG+ HALTER | 025.35.100.002 | B |
| 14 | 1 | Belt Pulley | 1SPB 180 KONISCH H=45 GL4 | 004.15.150.009 | |
| 15 | 1 | Sensor | 600 RECHTS | 002.70.100.001 | |
| 16 | 1 | Drive Belt | SPB 2000 | 004.15.100.062 | |
| 17 | 1 | Lock Nut | M12 DIN 982 | 002.35.110.001 | |


| | | | | | |
|---|---|---|---|---|---|
| 18 | 1 | Arm Right Precision Sensor Complete | GL4-140-60 | 001.10.100.123 | A |
| 19 | 1 | Swing Disk 600 Right | GL4 D.600 | 001.10.171.065 | |
| 20 | 2 | Kit Slipping Disc For Swing Arm | GL4 | 025.10.110.029 | |

## 025.15.100.001 A - Kit Armholder GL4





| Prosition | Menge | Bezeichnung | Modell | Kodex | Revision |
|---|---|---|---|---|---|
| 1 | 1 | Belt Pulley | 1SPB 200 GL4 D52 | 004.15.150.010 | |
| 2 | 1 | Retaining Ring | D90 X 3,0 UNI 7435 | 002.50.130.007 | |
| 3 | 1 | Adjustment Spring | 10 X 8 X 45 DIN 6885 | 002.20.130.002 | |
| 4 | 1 | Retaining Ring | D52 X 2,0 UNI 7435 | 002.50.130.005 | |
| 5 | 1 | Protection Ring | D90 X D140 X 2 | 004.20.100.002 | |
| 6 | 1 | Retaining Ring | D140 X 4,0 UNI 7437 | 002.50.130.002 | |
| 7 | 1 | Armholder Support | GL4 | 001.10.110.004 | |
| 8 | 1 | Ball Bearing | D90 X D140 X 16 - 16018 | 002.30.100.001 | |
| 9 | 4 | Hexagon Screw | M12 X 40 X 1,25 UNI 5740 8.8 Z | 002.60.150.059 | |
| 10 | 4 | Lock Nut | M12 X 1,25 DIN 982 | 002.35.110.020 | |
| 11 | 1 | Kit Bearing Bracket | GL4 | 025.15.100.107 | |
| 12 | 1 | Grease Nipple | M06 X 1 DIN 71412 | 002.60.120.005 | |

## 025.15.100.107 - Kit Bearing Bracket GL4





| Prosition | Menge | Bezeichnung | Modell | Kodex | Revision |
|---|---|---|---|---|---|
| 1 | 1 | Drive Shaft | GL4 | 005.20.100.008 | |
| 2 | 1 | Retaining Ring | D110 X 4,0 UNI 7437 | 002.50.130.008 | |
| 3 | 1 | Ball Bearing | D60 X D110 X 22 - 6212 2RS | 002.30.100.008 | |
| 4 | 1 | Bearing Housing | GL4 | 004.20.100.010 | |
| 5 | 1 | Coverring | D60 X D110 X 2 | 004.20.100.011 | |
| 6 | 1 | Radial Shaft Seal Ring | D60 X D75 X 8 DIN 3760-AS NBR | 002.50.120.005 | |

## 025.15.100.002 - Kit Bearing Bracket GL4





| Prosition | Menge | Bezeichnung | Modell | Kodex | Revision |
|---|---|---|---|---|---|
| 1 | 1 | Spacer Ring | D35,5 X D44,5 X 13 | 002.50.110.004 | |
| 1 | 1 | Spacer Ring | D35,5 X D44,5 X 13 | 002.50.110.004 | |
| 2 | 1 | Spacer Ring | D35,2 X D45 X 9 | 002.50.110.002 | |
| 3 | 1 | Adjustment Spring | 10 X 8 X 35 DIN 6885 | 002.20.130.008 | |
| 4 | 1 | Bearing Housing | GL4 | 004.20.100.012 | |
| 4 | 1 | Bearing Housing | GL4 | 004.20.100.012 | |
| 5 | 1 | Grease Nipple | M10 X 1 DIN 71412 | 002.60.120.002 | |
| 5 | 1 | Grease Nipple | M10 X 1 DIN 71412 | 002.60.120.002 | |
| 6 | 1 | Radial Shaft Seal Ring | D45 X D72 X 8 DIN 3760-A NBR | 002.50.120.003 | |
| 6 | 1 | Radial Shaft Seal Ring | D45 X D72 X 8 DIN 3760-A NBR | 002.50.120.003 | |
| 7 | 2 | Ball Bearing | D35 X D72 X 23 - 4207 | 002.30.100.002 | |
| 8 | 1 | Drive Shaft | M40 X 3 LINKS | 005.20.100.005 | A |
| 8 | 1 | Drive Shaft | M40 X 3 LINKS | 005.20.100.005 | A |
| 9 | 1 | Radial Shaft Seal Ring | D45 X D72 X 8 DIN 3760-AS NBR | 002.50.120.004 | |
| 9 | 1 | Radial Shaft Seal Ring | D45 X D72 X 8 DIN 3760-AS NBR | 002.50.120.004 | |

## 025.35.100.002 B - Kit Precision Sensor GL4 FT+STEUERUNG+ HALTER





| Prosition | Menge | Bezeichnung | Modell | Kodex | Revision |
|---|---|---|---|---|---|
| 1 | 1 | Bearing Housing Sensor Holder Right | GL4 | 004.20.100.155 | |
| 2 | 1 | Controller Precision Sensor | GL4 | 003.30.100.001 | |
| 3 | 1 | Spring | D20 X D3 X 70 | 002.20.130.007 | |
| 4 | 1 | Sensorholder | GL4 | 002.70.100.005 | |
| 5 | 1 | Lifting Eye Bolt | M08 X 60 | 002.60.130.011 | |
| 6 | 2 | Ball Bearing | D25 X D52 X 15 - 6205 2RS | 002.30.100.005 | |
| 7 | 1 | Washer | 25,0 X 44,0 X 4,0 DIN 125-A | 002.55.110.003 | |
| 8 | 1 | Lock Nut | M08 DIN 982 | 002.35.110.008 | |
| 9 | 1 | Hexagon Screw | M12 X 60 UNI 5737 8.8 ZN | 002.60.150.001 | |
| 10 | 1 | Lock Nut | M12 DIN 982 | 002.35.110.001 | |
| 11 | 1 | Washer | 13,0 X 24,0 X 2,5 DIN 125-A | 002.55.110.005 | |
| 12 | 1 | Hexagon Screw | M08 X 50 UNI 5739 8.8 ZN | 002.60.150.015 | |
| 13 | 1 | Hexagon Screw | M08 X 65 UNI 5739 8.8 ZN | 002.60.150.109 | |
| 14 | 4 | Lock Washer | 08,1 X 14,8 X 2,0 DIN 127 | 002.50.100.005 | |
| 15 | 3 | Hexagon Nut | M08 UNI 5589 ZN | 002.35.100.009 | |
| 16 | 1 | Grease Nipple | M06 X 1 DIN 71412 | 002.60.120.001 | |
| 17 | 1 | Hexagon Screw | M08 X 20 UNI 5739 8.8 ZN | 002.60.150.034 | |
| 18 | 3 | Washer | 08,4 X 16,0 X 1,6 DIN 125-A | 002.55.110.010 | |
| 19 | 1 | Retaining Ring | D25 X 1,2 UNI 7435 | 002.50.130.019 | |
| 20 | 3 | Bolt | M08 X 20 UNI 5931 8.8 N | 002.60.100.013 | |
| 21 | 2 | Hexagon Screw | M10 X 20 UNI 5739 10.9 ZN | 002.60.150.153 | |
| 22 | 1 | Rotating Element For Sensor Right | GL4 | 004.20.100.156 | |
| 23 | 1 | Headless Screw | M08 X 10 DIN 914 ZN | 002.60.110.008 | |

## 003.30.100.001 - Controller Precision Sensor GL4





| Prosition | Menge | Bezeichnung | Modell | Kodex | Revision |
|---|---|---|---|---|---|
| 1 | 1 | Controller Piston | | 003.30.110.006 | |
| 2 | 1 | Cover | | 003.30.110.005 | |
| 3 | 1 | Protection Rubber | BM30/40 BC40 | 003.30.110.014 | |
| 4 | 1 | Kit Rubber Protection | | 003.30.110.004 | |
| 5 | 1 | Spring | D.2,5 X BM40 | 003.30.110.015 | |
| 6 | 1 | Protection | | 003.30.110.007 | |
| 7 | 1 | Spring | DBCC014000 | 003.30.110.008 | |
| 8 | 1 | Kit | DBCC064000 | 003.30.110.009 | |

## 025.10.110.029 - Kit Slipping Disc For Swing Arm GL4





| Prosition | Menge | Bezeichnung | Modell | Kodex | Revision |
|---|---|---|---|---|---|
| 1 | 1 | Sliding Disk | GL4 | 002.55.110.037 | |
| 2 | 1 | Hexagon Screw | M12 X 25 UNI 5739 8.8 ZN | 002.60.150.033 | |
| 3 | 1 | Spring Washer | 12,2 X 21,1 X 2,5 DIN 127 | 002.50.100.002 | |
| 4 | 1 | Washer | 13,0 X 48,0 X 2,5 DIN 9021 | 002.55.110.001 | |

## 025.10.110.034 A - Kit Slipway For Swing Arm GL4-140





| Prosition | Menge | Bezeichnung | Modell | Kodex | Revision |
|---|---|---|---|---|---|
| 1 | 1 | Slipway Right For Arm | GL4-140 | 001.30.114.231 | A |
| 2 | 1 | Slipway Left For Arm | GL4-140 | 001.30.114.385 | |
| 3 | 6 | Washer | 08,4 X 16,0 X 1,6 DIN 125-A | 002.55.110.010 | |
| 4 | 8 | Lock Nut | M08 DIN 982 | 002.35.110.008 | |
| 5 | 4 | Round Head Screw | M08 X 25 UNI7380 10.9 ZN | 002.60.140.006 | |
| 6 | 4 | Countersunk Screw | M08 X 25 UNI 5933 10.9 ZN | 002.60.160.002 | |

## 001.30.110.133 - Frame Std Precision Sensor GL4-140-50-60





| Prosition | Menge | Bezeichnung | Modell | Kodex | Revision |
|---|---|---|---|---|---|
| 2 | 4 | Vibration Buffer | D30 X 25 M8 | 002.60.180.003 | |
| 2 | 4 | Vibration Buffer | D30 X 25 M8 | 002.60.180.003 | |
| 3 | 4 | Lock Nut | M08 DIN 982 | 002.35.110.008 | |
| 3 | 4 | Lock Nut | M08 DIN 982 | 002.35.110.008 | |
| 4 | 4 | Washer | 08,4 X 16,0 X 1,6 DIN 125-A | 002.55.110.010 | |
| 4 | 4 | Washer | 08,4 X 16,0 X 1,6 DIN 125-A | 002.55.110.010 | |

## 005.10.110.003 - Blade GL4-D600





| Prosition | Menge | Bezeichnung | Modell | Kodex | Revision |
|---|---|---|---|---|---|
| 1 | 1 | Blade Fitting Frame Left | GL4 | 005.15.200.002 | |
| 2 | 2 | Bush | D16,5 X D28 X 11 | 005.40.100.001 | |
| 3 | 1 | Skid Plate | GL4 | 001.10.140.066 | |
| 4 | 2 | Lock Nut | M16 DIN 982 | 002.35.110.005 | |
| 5 | 2 | Bolt | M16 X 65 UNI 5931 8.8 ZN | 002.60.100.002 | |
| 6 | 2 | Blade | 220 TV EINSCH. 1 LOCH | 005.10.100.017 | A |

## 001.10.140.066 - Skid Plate GL4





| Prosition | Menge | Bezeichnung | Modell | Kodex | Revision |
|---|---|---|---|---|---|
| 1 | 1 | Bearing Flange | GL4 D112 / D72 H = 40,5 | 004.20.100.004 | |
| 2 | 1 | Retaining Ring | D72 X 2,5 UNI 7437 | 002.50.130.006 | |
| 3 | 1 | Radial Shaft Seal Ring | D45 X D72 X 8 DIN 3760-A NBR | 002.50.120.003 | |
| 4 | 1 | Skid Plate D.300 | GL4 D300 4LOCH GL4-60-SL-60 | 001.10.140.002 | |
| 5 | 1 | Skid Plate Bracket | GL4 | 001.20.110.009 | |
| 6 | 1 | Washer | D13 X D49 X 6,5 | 002.55.120.002 | |
| 7 | 1 | Countersunk Screw | M12 X 20 UNI 5933 10.9 ZN | 002.60.160.004 | |
| 8 | 4 | Countersunk Screw | M08 X 16 UNI 5933 10.9 ZN | 002.60.160.001 | |
| 9 | 1 | Ball Bearing | D35 X D72 X 27 - 3207 | 002.30.100.004 | |
| 10 | 1 | Grease Nipple | M06 X 1 DIN 71412 | 002.60.120.001 | |

## 005.10.110.004 - Blade GL4-D600





| Prosition | Menge | Bezeichnung | Modell | Kodex | Revision |
|---|---|---|---|---|---|
| 1 | 2 | Bush | D16,5 X D28 X 11 | 005.40.100.001 | |
| 2 | 1 | Skid Plate | GL4 | 001.10.140.066 | |
| 3 | 2 | Lock Nut | M16 DIN 982 | 002.35.110.005 | |
| 4 | 2 | Bolt | M16 X 65 UNI 5931 8.8 ZN | 002.60.100.002 | |
| 5 | 1 | Blade Fitting Frame Right | GL4 | 005.15.200.003 | |
| 6 | 2 | Blade | 220 TV EINSCH. 1 LOCH | 005.10.100.018 | A |

## 001.10.140.066 - Skid Plate GL4





| Prosition | Menge | Bezeichnung | Modell | Kodex | Revision |
|---|---|---|---|---|---|
| 1 | 1 | Bearing Flange | GL4 D112 / D72 H = 40,5 | 004.20.100.004 | |
| 2 | 1 | Retaining Ring | D72 X 2,5 UNI 7437 | 002.50.130.006 | |
| 3 | 1 | Radial Shaft Seal Ring | D45 X D72 X 8 DIN 3760-A NBR | 002.50.120.003 | |
| 4 | 1 | Skid Plate D.300 | GL4 D300 4LOCH GL4-60-SL-60 | 001.10.140.002 | |
| 5 | 1 | Skid Plate Bracket | GL4 | 001.20.110.009 | |
| 6 | 1 | Washer | D13 X D49 X 6,5 | 002.55.120.002 | |
| 7 | 1 | Countersunk Screw | M12 X 20 UNI 5933 10.9 ZN | 002.60.160.004 | |
| 8 | 4 | Countersunk Screw | M08 X 16 UNI 5933 10.9 ZN | 002.60.160.001 | |
| 9 | 1 | Ball Bearing | D35 X D72 X 27 - 3207 | 002.30.100.004 | |
| 10 | 1 | Grease Nipple | M06 X 1 DIN 71412 | 002.60.120.001 | |

## 005.10.110.036 - Blade GL4-140 D710





| Prosition | Menge | Bezeichnung | Modell | Kodex | Revision |
|---|---|---|---|---|---|
| 1 | 2 | Screws | GL4 16 X 31,5 | 005.30.100.001 | B |
| 2 | 2 | Lock Washer | 16,2 X 27,4 X 3,5 DIN 127 | 002.50.100.004 | A |
| 3 | 2 | Lock Nut | M16 X 1,5 DIN 982 | 002.35.110.009 | A |
| 4 | 1 | Winding Protection | GL4 | 004.25.100.003 | A |
| 5 | 1 | Blade Bracket | GL2 FIX 120 | 005.15.100.024 | |
| 6 | 2 | Blade | 220 EINSCH. 1 LOCH | 005.10.100.008 | B |
| 7 | 2 | Hexagon Screw | M16 X 40 SW27 UNI 5712 10.9 ZN | 002.60.150.099 | |

## 005.10.110.037 - Blade GL4-140 D710





| Prosition | Menge | Bezeichnung | Modell | Kodex | Revision |
|---|---|---|---|---|---|
| 1 | 2 | Screws | GL4 16 X 31,5 | 005.30.100.001 | B |
| 2 | 2 | Lock Washer | 16,2 X 27,4 X 3,5 DIN 127 | 002.50.100.004 | A |
| 3 | 2 | Lock Nut | M16 X 1,5 DIN 982 | 002.35.110.009 | A |
| 4 | 1 | Winding Protection | GL4 | 004.25.100.003 | A |
| 5 | 1 | Blade Bracket | GL2 FIX 120 | 005.15.100.024 | |
| 6 | 2 | Blade | 220 EINSCH. 1 LOCH | 005.10.100.007 | B |
| 7 | 2 | Hexagon Screw | M16 X 40 SW27 UNI 5712 10.9 ZN | 002.60.150.099 | |

## 200.03.010.022 B - Driving Group GL4-140 540/MIN




| Prosition | Menge | Bezeichnung | Modell | Kodex | Revision |
|---|---|---|---|---|---|
| 1 | 1 | Gearbox Plate Left | GL4-160-240 | 001.20.100.009 | |
| 2 | 1 | Gearbox Plate Right | GL4-160-240 | 001.20.100.015 | |
| 3 | 2 | Flange | GL4 | 001.20.100.016 | |
| 4 | 2 | Washer | D16 X D45 X 12 | 002.55.120.001 | |
| 5 | 2 | Hexagon Screw | M14 X 50 UNI 5739 8.8 ZN | 002.60.150.023 | |
| 6 | 2 | Adjustment Spring | 10 X 8 X 60 DIN 6885 | 002.20.130.003 | |
| 7 | 36 | Spring Washer | 12,2 X 21,1 X 2,5 DIN 127 | 002.50.100.002 | |
| 8 | 10 | Lock Washer | 14,2 X 24,1 X 3,0 DIN 127 | 002.50.100.003 | |
| 9 | 20 | Hexagon Screw | M12 X 25 UNI 5739 8.8 ZN | 002.60.150.033 | |
| 10 | 8 | Hexagon Screw | M14 X 45 UNI 5739 8.8 ZN | 002.60.150.038 | |
| 11 | 4 | Washer | 13,0 X 24,0 X 2,5 DIN 125-A | 002.55.110.005 | |
| 12 | 1 | Gearbox | BRM00075 MTF7001,60DINVDINB5 | 004.30.150.025 | |
| 13 | 2 | Flexible Coupling | BALBONI D.125 M12 | 004.10.160.015 | |
| 14 | 2 | Driver For Flexible Coupling | GL4-130 | 004.10.160.046 | |
| 15 | 16 | Hexagon Screw | M12 X 40 UNI 5739 8.8 ZN | 002.60.150.022 | |
| 16 | 2 | Driver For Flexible Coupling | GL4-140 | 004.10.160.047 | |
| 17 | 1 | Gearbox | C131-2,50DINXA4-D35 | 004.30.160.022 | |
| 18 | 1 | Gearbox | C131-PX-2,50DINXA4-D35 | 004.30.160.024 | |


## 004.30.150.025 - Gearbox BRM00075 MTF7001,60DINVDINB5




| Prosition | Menge | Bezeichnung | Modell | Kodex | Revision |
|---|---|---|---|---|---|
| 0 | 0 | Space Disc | | 530.RAM72.0,5 | |
| 1 | 1 | Housing | | 100.018.000 | |
| 2 | 1 | Cover | | 120.018.000 | |
| 3 | 1 | Ring Gear | | 130.018.163.00 | |
| 4 | 1 | Pinion | | 140.018.163.00 | |
| 5 | 1 | Drive Shaft | 150.018.001 | 150.018.001 | |
| 6 | 1 | Drive Shaft | 150.018.002 | 150.018.002 | |
| 7 | 1 | Retaining Ring | | 510.35.7436 | |
| 8 | 1 | Retaining Ring | | 510.40.7436 | |
| 9 | 2 | Retaining Ring | | 510.72.7437 | |
| 10 | 3 | Space Disc | | 530.35X45X1 | |
| 12 | 2 | Bearing | | 560.30207 | |
| 13 | 2 | Bearing | | 560.6207 | |
| 14 | 3 | Shaft Seal | | 570.35X72X7.TC | |
| 15 | 4 | Hexagon Screw | | 580.10X20.ES | |
| 16 | 2 | Plug Scrwe Oil | | 590.T.1-4.906 | |
| 17 | 1 | Plug Scrwe Oil | | 590.T.3-8.906 | |
| 18 | 1 | Vent Plug | | 590.TSVCO.3-8 | |

## 004.30.160.022 - Gearbox C131-2,50DINXA4-D35

| POS | COD. | QT. |
|---|---|---|
| 1 | 3-8GAS-NPTF | 2 |
| 2 | 3-8GAS-TC | 3 |
| 3 | UNI7437-I-90 | 1 |
| 4 | RONDELLARAME3-8SP 1.5 | 4 |
| 5 | TARGHETTA-GT | 1 |
| 6 | 32210 | 2 |
| 7 | 68.PROTL#1 | 1 |
| 8 | NBR-TC-45-90-10 | 1 |
| 9 | RONDELLARAME3-4SP 1.5 | 1 |
| 10 | 3-4GAS-38A | 1 |
| 11 | GOM-3-8 MF | 1 |
| 12 | 3-8GAS-30A-CIL | 1 |
| 13 | 68.COPERCHIO#4 | 1 |
| 14 | UNI5739-M10x20-10.9-Z | 6 |
| 15 | RAM90-.3 | 1 |
| 16 | RAM90-.2 | 1 |
| 17 | 65.GHIERA | 1 |
| 18 | 68.2,50P2 | 1 |
| 19 | 68.2,50C0 | 1 |
| 20 | 68.ALBERO#5 | 1 |
| 21 | 121.CARCASSA | 1 |
| 22 | UNI7437-I-80 | 2 |
| 23 | 30208 | 2 |
| 24 | NBR-TC-35-80-10 | 1 |
| 25 | TT80x10 | 1 |




| ratio transmission | input RPM | input rotation | input power HP | input power KW | input torque N.M | output torque N.M |
|---|---|---|---|---|---|---|
| 1:2,50 | 540 | CW clockwise | 70 | 52 | 910 | 360 |

Gardini TECHNIK
PROPIETA' RISERVATA AI TERMINI DI LEGGE

Recommended Oil Type SAE 80W/90 GL5 — internal code 004.30.160.022


description code C131-2,50DINXA4-D35(004.30.160.022) — group C131 — application

| date | designer | weight KG | oil quantity | customer code | customer | scale | |
|---|---|---|---|---|---|---|---|
| 19/12/2018 | gardini | 24.48 | | | | 1:5 | A3 |

| Prosition | Menge | Bezeichnung | Modell | Kodex | Revision |
|---|---|---|---|---|---|
| 1 | 2 | Plug Scrwe Oil | | 3-8GAS-NPTF | |
| 2 | 3 | Plug Scrwe Oil | | 3-8GAS-TC | |
| 3 | 1 | Retaining Ring | | UNI7437-I-90 | |
| 4 | 4 | Seal | | RONDRAME38SP1.5 | |
| 5 | 1 | Identificatione Plate | | TARGHETTA-GT | |
| 6 | 2 | Bearing | | 32210 | |
| 7 | 1 | Coper Ring | | 68.PROTL#1 | |
| 8 | 1 | Shaft Seal | | NBR-TC-45-90-10 | |
| 9 | 1 | Seal | | RONDRAME34SP1.5 | |
| 10 | 1 | Plug Scrwe Oil | | 3-4GAS-38A | |
| 11 | 1 | Ellbow | | GOM-3-8 MF | |
| 12 | 1 | Plug Scrwe Oil | | 3-8GAS-30A-CIL | |
| 13 | 1 | Cover | | 68.COPERCHIO#4 | |
| 14 | 6 | Hexagon Screw | | 5739M10X20-10.9 | |
| 15 | 1 | Space Disc | | RAM90-.3 | |
| 16 | 1 | Space Disc | | RAM90-.2 | |
| 17 | 1 | Nut | | 65.GHIERA | |
| 18 | 1 | Drive Shaft | | 68.2,50P2 | |
| 19 | 1 | Drive Shaft | | 68.2,50C0 | |
| 20 | 1 | Shaft | | 68.ALBERO#5 | |
| 21 | 1 | Housing | | 121.CARCASSA | |
| 22 | 2 | Retaining Ring | | UNI7437-I-80 | |
| 23 | 2 | Bearing | | 30208 | |
| 24 | 1 | Shaft Seal | | NBR-TC-35-80-10 | |
| 25 | 1 | Locking Cap | | TT80X10 | |

## 004.30.160.024 - Gearbox C131-PX-2,50DINXA4-D35

| POS | COD. | QT. |
|---|---|---|
| 1 | 68.KIT#1 | 1 |
| 2 | UNI7436-E-40 | 1 |
| 3 | UNI5739-M10x20-10.9-Z | 14 |
| 4 | 68.COPERCHIO#3 | 1 |
| 5 | 3208 | 1 |
| 6 | NBR-TC-40-72-8 | 1 |
| 7 | UNI7437-I-80 | 3 |
| 8 | 3-8GAS-30A-CON | 1 |
| 9 | 3-8GAS-NPTF | 3 |
| 10 | 3-8GAS-TC | 3 |
| 11 | UNI7437-I-90 | 1 |
| 12 | RONDELLARAME3-8SP 1.5 | 3 |
| 13 | TARGHETTA-GT | 1 |
| 14 | 32210 | 2 |
| 15 | 68.PROTL#1 | 1 |
| 16 | NBR-TC-45-90-10 | 1 |
| 17 | TT16x4 | 1 |
| 18 | NBR-2.5X95 | 1 |
| 19 | RONDELLARAME3-4SP 1.5 | 1 |
| 20 | 3-4GAS-38A | 1 |
| 21 | 68.COPERCHIO#4 | 1 |
| 22 | RAM90-.2 | 1 |
| 23 | RAM90-.3 | 1 |
| 24 | RAM80-.2 | 1 |
| 25 | RAM80-.3 | 1 |
| 26 | 65.GHIERA | 1 |
| 27 | 121.CARCASSA#1 | 1 |
| 28 | 68.2,50P4 | 1 |
| 29 | 68.2,50P3 | 1 |
| 30 | 30208 | 2 |
| 31 | 68.ALBERO#5 | 1 |
| 32 | NBR-TC-35-80-10 | 1 |
| 33 | TT80x10 | 1 |
| 34 | 68.2,50C1 | 1 |



| ratio transmission | input RPM | input rotation | input power HP | input power KW | input torque N.M | output torque N.M |
|---|---|---|---|---|---|---|
| 1:2,50 | 540 | CCW counterCW | 70 | 51 | 910 | 364 |

Gardini TECHNIK

PROPIETA' RISERVATA AI TERMINI DI LEGGE

Recommended Oil Type SAE 80W/90 GL5 — internal code 004.30.160.024


description code C131-PX-2,50DINXA4-D35(004.30.160.024) — group C131 — application

| date | designer | weight KG | oil quantity | customer code | customer | scale | |
|---|---|---|---|---|---|---|---|
| 19/12/2018 | gardini | 27.35 | | | | 1:5 | A3 |

| Prosition | Menge | Bezeichnung | Modell | Kodex | Revision |
|---|---|---|---|---|---|
| 1 | 1 | Housing | | 68.KIT#1 | |
| 2 | 1 | Retaining Ring | | UNI7436-E-40 | |
| 3 | 14 | Hexagon Screw | | 5739M10X20-10.9 | |
| 4 | 1 | Cover | | 68.COPERCHIO#3 | |
| 5 | 1 | Bearing | | 3208 | |
| 6 | 1 | Shaft Seal | | NBR-TC-35-72-10 | |
| 7 | 3 | Retaining Ring | | UNI7437-I-80 | |
| 8 | 1 | Plug Scrwe Oil | | 3-8GAS-30A-CON | |
| 9 | 3 | Plug Scrwe Oil | | 3-8GAS-NPTF | |
| 10 | 3 | Plug Scrwe Oil | | 3-8GAS-TC | |
| 11 | 1 | Retaining Ring | | UNI7437-I-90 | |
| 12 | 3 | Seal | | RONDRAME38SP1.5 | |
| 13 | 1 | Identificatione Plate | | TARGHETTA-GT | |
| 14 | 2 | Bearing | | 32210 | |
| 15 | 1 | Coper Ring | | 68.PROTL#1 | |
| 16 | 1 | Shaft Seal | | NBR-TC-45-90-10 | |
| 17 | 1 | Locking Cap | | TT16X4 | |
| 18 | 1 | O-Ring | | NBR-2,5X95 | |
| 19 | 1 | Seal | | RONDRAME34SP1.5 | |
| 20 | 1 | Plug Scrwe Oil | | 3-4GAS-38A | |
| 21 | 1 | Cover | | 68.COPERCHIO#4 | |
| 22 | 1 | Space Disc | | RAM90-.2 | |
| 23 | 1 | Space Disc | | RAM90-.3 | |
| 24 | 1 | Space Disc | | RAM80-.2 | |
| 25 | 1 | Space Disc | | RAM80-.3 | |
| 26 | 1 | Nut | | 65.GHIERA | |
| 27 | 1 | Housing | | 121.CARCASSA#1 | |
| 28 | 1 | Drive Shaft | | 68.2,50P4 | |


| | | | |
|---|---|---|---|
| 29 | 1 | Drive Shaft | 68.2,50P3 |
| 30 | 2 | Bearing | 30208 |
| 31 | 1 | Shaft | 68.ALBERO#5 |
| 32 | 1 | Shaft Seal | NBR-TC-35-80-10 |
| 33 | 1 | Locking Cap | TT80X10 |
| 34 | 1 | Drive Shaft | 68.2,50C1 |

## 200.04.010.026 A - Group Three-Point GL4-140





| Prosition | Menge | Bezeichnung | Modell | Kodex | Revision |
|---|---|---|---|---|---|
| 1 | 4 | Washer | 21,0 X 37,0 X 3,0 DIN 125-A | 002.55.110.008 | |
| 2 | 1 | Three Point | GL4 | 001.25.100.048 | A |
| 3 | 2 | Lock Nut | M20 DIN 982 | 002.35.110.006 | |
| 4 | 1 | Flat Iron | GL4-140 | 001.30.120.265 | |
| 5 | 2 | Hexagon Screw | M20 X 50 UNI 5739 8.8 ZN | 002.60.150.026 | |

## 001.25.100.048 A - Three Point GL4





| Prosition | Menge | Bezeichnung | Modell | Kodex | Revision |
|---|---|---|---|---|---|
| 1 | 3 | Pin Splint | D10 | 002.65.100.001 | |
| 2 | 2 | Pin | D22 - D28 L=193 | 002.10.100.010 | C |
| 3 | 1 | Support | GL4 | 002.25.115.001 | |
| 4 | 1 | Hexagon Screw | M10 X 40 UNI 5737 8.8 ZN | 002.60.150.105 | |
| 5 | 1 | Hexagon Nut | M10 UNI 5589 ZN | 002.35.100.010 | |
| 6 | 1 | Lock Nut | M10 DIN 982 | 002.35.110.002 | |
| 7 | 1 | Pin | D19 - D25 L=202 | 002.10.100.009 | |
| 8 | 5 | Washer | 21,0 X 37,0 X 3,0 DIN 125-A | 002.55.110.008 | |
| 9 | 1 | Clevis 700 Std Oil Tank | GL4 | 001.25.100.047 | A |
| 10 | 2 | Lock Nut | M20 DIN 982 | 002.35.110.006 | |
| 11 | 2 | Hexagon Screw | M20 X 90 UNI 5739 8.8 ZN | 002.60.150.095 | |

## 200.05.010.001 A - Group Fix Wheel GL4-GL2 FIX





| Prosition | Menge | Bezeichnung | Modell | Kodex | Revision |
|---|---|---|---|---|---|
| 1 | 1 | Kit Fix Wheel | GL4 | 025.10.100.025 | A |
| 2 | 1 | Kit Fix Wheel | GL4 | 025.10.100.026 | A |

## 025.10.100.026 A - Kit Fix Wheel GL4





| Prosition | Menge | Bezeichnung | Modell | Kodex | Revision |
|---|---|---|---|---|---|
| 1 | 2 | Hexagon Screw | M16 X 40 UNI 5739 8.8 ZN | 002.60.150.003 | A |
| 2 | 1 | Mounting Wheel Left | GL4 | 001.20.150.049 | B |
| 3 | 1 | Kit Wheel | GL4-SL-BV D.200 | 025.10.100.001 | A |

## 025.10.100.001 A - Kit Wheel GL4-SL-BV D.200





| Prosition | Menge | Bezeichnung | Modell | Kodex | Revision |
|---|---|---|---|---|---|
| 1 | 2 | Cover Ring D200 | D25 X D52 X 4,5 | 002.55.100.001 | |
| 2 | 1 | Pin | GL4 | 002.10.100.007 | A |
| 3 | 1 | Lock Nut | M14 DIN 982 | 002.35.110.003 | |
| 4 | 1 | Grease Nipple | M06 X 1 DIN 71412 | 002.60.120.001 | |
| 5 | 1 | Retaining Ring | D25 X 2,0 UNI 7435 | 002.50.130.003 | |
| 6 | 1 | Washer | 15,0 X 28,0 X 2,5 DIN 125-A | 002.55.110.006 | |
| 7 | 1 | Wheel | D200 L=169 | 002.45.110.001 | A |
| 8 | 2 | Ball Bearing | D25 X D52 X 20,6 - 3205-2RS | 002.30.100.020 | |

## 025.10.100.025 A - Kit Fix Wheel GL4





| Prosition | Menge | Bezeichnung | Modell | Kodex | Revision |
|---|---|---|---|---|---|
| 1 | 2 | Hexagon Screw | M16 X 40 UNI 5739 8.8 ZN | 002.60.150.003 | A |
| 2 | 1 | Mounting Wheel Right | GL4 | 001.20.150.050 | B |
| 3 | 1 | Kit Wheel | GL4-SL-BV D.200 | 025.10.100.001 | A |

## 025.10.100.001 A - Kit Wheel GL4-SL-BV D.200





| Prosition | Menge | Bezeichnung | Modell | Kodex | Revision |
|---|---|---|---|---|---|
| 1 | 2 | Cover Ring D200 | D25 X D52 X 4,5 | 002.55.100.001 | |
| 2 | 1 | Pin | GL4 | 002.10.100.007 | A |
| 3 | 1 | Lock Nut | M14 DIN 982 | 002.35.110.003 | |
| 4 | 1 | Grease Nipple | M06 X 1 DIN 71412 | 002.60.120.001 | |
| 5 | 1 | Retaining Ring | D25 X 2,0 UNI 7435 | 002.50.130.003 | |
| 6 | 1 | Washer | 15,0 X 28,0 X 2,5 DIN 125-A | 002.55.110.006 | |
| 7 | 1 | Wheel | D200 L=169 | 002.45.110.001 | A |
| 8 | 2 | Ball Bearing | D25 X D52 X 20,6 - 3205-2RS | 002.30.100.020 | |

## 200.07.020.050 A - Group Protections GL4-140-60





| Prosition | Menge | Bezeichnung | Modell | Kodex | Revision |
|---|---|---|---|---|---|
| 1 | 1 | Protection | GL4-140 | 001.40.200.005 | |
| 2 | 1 | Protection | OVAL D85 | 002.25.100.001 | |
| 3 | 8 | Round Head Screw | M08 X 16 UNI 7380 10.9 ZN | 002.60.140.004 | |
| 4 | 8 | Lock Washer | 08,1 X 14,8 X 2,0 DIN 127 | 002.50.100.005 | |
| 5 | 8 | Washer | 09,0 X 40,0 X 3,0 DIN 9021 | 002.55.110.015 | |
| 6 | 4 | Spring Washer | 12,2 X 21,1 X 2,5 DIN 127 | 002.50.100.002 | |
| 7 | 4 | Washer | 13,0 X 48,0 X 2,5 DIN 9021 | 002.55.110.001 | |
| 8 | 4 | Washer | 09,0 X 32,0 X 2,0 DIN 9021 | 002.55.110.011 | |
| 9 | 4 | Hexagon Screw | M12 X 25 UNI 5739 8.8 ZN | 002.60.150.033 | |
| 10 | 1 | Belt Protection | GL4-140-60 | 001.40.150.036 | A |
| 11 | 1 | Belt Protection | GL4-140-60 | 001.40.150.021 | A |
| 12 | 4 | Hexagon Screw | M08 X 16 UNI 5739 8.8 ZB | 002.60.150.065 | |
| 13 | 18 | Lock Nut | M12 DIN 985 | 002.35.110.010 | |
| 14 | 2 | Inspection Door | GL4 D.600 | 001.40.145.186 | |
| 15 | 2 | Inspection Door | GL4 D.600 | 001.40.145.187 | |
| 16 | 2 | Inspection Door | GL4 D.600 | 001.40.145.185 | |
| 17 | 2 | Chain Protection | D.600 | 025.40.100.104 | |
| 18 | 18 | Round Head Screw With Square Under Head | M12 X 35 UNI 5732 8.8 ZN | 002.60.155.002 | |
| 19 | 18 | Washer | 13,0 X 24,0 X 2,5 DIN 125-A | 002.55.110.005 | |

## 025.40.100.104 - Chain Protection D.600




| Prosition | Menge | Bezeichnung | Modell | Kodex | Revision |
|---|---|---|---|---|---|
| 1 | 1 | Washer | 08,4 X 16,0 X 1,6 DIN 125-A | 002.55.110.010 | |
| 2 | 1 | Rod For Chain Protection | 12 KETTEN | 002.25.130.144 | |
| 3 | 12 | Chain | 4 GLIEDER D7 | 002.25.110.009 | |
| 4 | 1 | Pin Bolt | D. 3 X 35 UNI 1336 | 002.65.110.001 | |


## 200.08.020.046 B - Self Supply Pump And Tank GL4-140-50-60




| Prosition | Menge | Bezeichnung | Modell | Kodex | Revision |
|---|---|---|---|---|---|
| 2 | 4 | Rapid Connector | M1/2 | 003.10.100.001 | |
| 3 | 6 | Copper Sealing Ring | G1/2 | 003.45.100.001 | |
| 4 | 8 | Double Nipples | M3/8-M3/8 | 003.15.100.008 | |
| 5 | 20 | Copper Sealing Ring | G3/8 | 003.45.100.004 | |
| 6 | 4 | Double Nipples | M1/4-M3/8 | 003.15.100.007 | |
| 7 | 2 | Hydraulic Cylinder | 1998-50 X 25 X 120 (0594-0714) | 003.55.100.012 | |
| 8 | 2 | Pin Frame | D20 X 90 | 002.10.100.013 | |
| 9 | 4 | Banjo Bolt | G3/8 | 003.25.110.001 | |
| 10 | 2 | Hydraulic Hose | SAE R1AT W3/890-W3/890 L=320 | 003.20.110.131 | |
| 10 | 2 | Hydraulic Hose | SAE R1AT W3/890-W3/890 L=320 | 003.20.110.131 | |
| 12 | 2 | Hydraulic Hose | SAE R1AT W3/890-W3/890 L=500 | 003.20.110.132 | |
| 12 | 2 | Hydraulic Hose | SAE R1AT W3/890-W3/890 L=500 | 003.20.110.132 | |
| 14 | 1 | Hydraulic Hose | SAE R1AT W3/8-O3/8 L=0800 | 003.20.110.146 | |
| 15 | 1 | Hydraulic Hose | SAE R1AT W3/8-O3/8 L=0850 | 003.20.110.419 | |
| 16 | 4 | Hydraulic Hose | SAE R1AT W1/4-W1/490° L=1800 | 003.20.110.133 | |
| 16 | 4 | Hydraulic Hose | SAE R1AT W1/4-W1/490° L=1800 | 003.20.110.133 | |
| 16 | 4 | Hydraulic Hose | SAE R1AT W1/4-W1/490° L=1800 | 003.20.110.133 | |
| 16 | 4 | Hydraulic Hose | SAE R1AT W1/4-W1/490° L=1800 | 003.20.110.133 | |
| 21 | 10 | Lock Washer | 08,1 X 14,8 X 2,0 DIN 127 | 002.50.100.005 | |
| 22 | 6 | Hexagon Screw | M08 X 20 UNI 5739 8.8 ZN | 002.60.150.034 | |
| 23 | 4 | Washer | 08,4 X 16,0 X 1,6 DIN 125-A | 002.55.110.010 | |
| 26 | 4 | Double Nipples | M1/4 - M1/2 | 003.15.100.004 | |
| 27 | 1 | Hydraulic Hose | SAE R1AT W3/8-O3/8 L=1000 | 003.20.110.413 | |
| 28 | 1 | Hydraulic Hose | SAE R1AT W3/8-O3/8 L=1050 | 003.20.110.301 | |
| 29 | 2 | Double Nipples | M3/8-M1/2 | 003.15.100.003 | |
| 30 | 1 | Hydraulic Hose | SAE R2AT W1/290-W1/290 L=600 | 003.20.110.210 | |
| 31 | 1 | Double Nipples | M1/2-M3/4 | 003.15.100.002 | |
| 32 | 2 | Double Nipples | M3/4-M3/4 | 003.15.100.009 | |


| | | | | | |
|---|---|---|---|---|---|
| 33 | 3 | Copper Sealing Ring | G3/4 | 003.45.100.007 | |
| 34 | 1 | Hydraulic Hose | SAE R2AT W3/490°-W3/4 L=0500 | 003.20.110.198 | |
| 35 | 1 | Suction Filter | G1 - G3/4F | 003.40.100.003 | |
| 36 | 1 | Copper Sealing Ring | G1 | 003.45.100.002 | |
| 37 | 1 | Oil Tank | GL4 | 003.35.110.003 | |
| 38 | 2 | Washer | 21,0 X 37,0 X 3,0 DIN 125-A | 002.55.110.008 | |
| 39 | 1 | Lock Nut | M20 DIN 982 | 002.35.110.006 | |
| 40 | 1 | Hexagon Screw | M20 X 50 UNI 5739 8.8 ZN | 002.60.150.026 | |
| 41 | 2 | Washer | 13,0 X 24,0 X 2,5 DIN 125-A | 002.55.110.005 | |
| 42 | 2 | Spring Washer | 12,2 X 21,1 X 2,5 DIN 127 | 002.50.100.002 | |
| 43 | 2 | Hexagon Screw | M12 X 25 UNI 5739 8.8 ZN | 002.60.150.033 | |
| 44 | 2 | Pin Frame | D20 X 75 | 002.10.100.012 | |
| 46 | 4 | Copper Sealing Ring | G1/4 | 003.45.100.003 | |
| 47 | 2 | Double Nipples | M1/4-M1/4 | 003.15.100.005 | |
| 48 | 2 | Valves | G1/4 AMA 37962 | 003.50.100.004 | |
| 49 | 2 | Rprotection Caps | G1/2 - BLAU | 003.10.105.004 | |
| 50 | 2 | Rprotection Caps | G1/2 - GELB | 003.10.105.003 | |
| 51 | 1 | O-Ring | OR 213 3,53 X 23,40 | 003.65.100.001 | |
| 52 | 1 | Vent Screw | G3/4 | 003.25.100.006 | |
| 53 | 1 | Suport | 4 X 1/4 | 001.20.135.003 | |
| 54 | 2 | Washer | 09,0 X 32,0 X 2,0 DIN 9021 | 002.55.110.011 | |
| 55 | 1 | Hydraulic Pump | 11 CC DX GR.2 | 003.40.100.012 | |
| 56 | 4 | Bolt | M08 X 30 UNI 5931 8.8 ZN | 002.60.100.027 | |
| 62 | 1 | Hydraulischer Mengenregler | GL4-140 | 200.08.040.001 | A |

## 200.08.040.001 A - Hydraulischer Mengenregler GL4-140





| Prosition | Menge | Bezeichnung | Modell | Kodex | Revision |
|---|---|---|---|---|---|
| 1 | 4 | Copper Sealing Ring | G1/2 | 003.45.100.001 | |
| 2 | 4 | Double Nipples | M3/8-M1/2 | 003.15.100.003 | |
| 3 | 3 | Copper Sealing Ring | G3/8 | 003.45.100.004 | |
| 4 | 2 | Double Nipples | M3/8-M3/8 | 003.15.100.008 | |
| 5 | 1 | T-Profile | G3/8 W-W-W | 003.35.130.004 | |
| 6 | 1 | Hydraulic Hose | SAE R1AT W3/8-W3/8 GL4-140 | 003.20.110.239 | |
| 7 | 1 | Hydraulic Hose | SAE R1AT W3/890-W3/890 GL4-140 | 003.20.110.245 | |
| 8 | 2 | Lock Nut | M08 DIN 982 | 002.35.110.008 | |
| 9 | 2 | Hexagon Screw | M08 X 65 UNI 5739 8.8 ZN | 002.60.150.109 | |
| 10 | 1 | Suport | GL4 | 001.20.145.071 | |
| 11 | 1 | Hydraulic Dsitributor & Flow Regulator | G1/2 SARO 38011418 | 003.30.120.013 | |

## 003.40.100.012 - Hydraulic Pump 11 CC DX GR.2





| Prosition | Menge | Bezeichnung | Modell | Kodex | Revision |
|---|---|---|---|---|---|
| 0 | 0 | Connector | G3/4 | 003.10.115.003 | |
| 0 | 0 | Bevel | BF3 Z=18 | 003.40.105.004 | |
| 1 | 2 | Connector | G1/2 - GR.1/2 | 003.10.115.002 | |

## 200.09.010.003 - Gruppe Walze Std 0310 GL4-130-50/140-60





| Prosition | Menge | Bezeichnung | Modell | Kodex | Revision |
|---|---|---|---|---|---|
| 1 | 2 | Lock Nut | M16 DIN 982 | 002.35.110.005 | |
| 2 | 2 | Hexagon Screw | M16 X 45 UNI 5739 8.8 ZN | 002.60.150.058 | |
| 3 | 1 | Kit 3-Point Hose Clamp | GABEL-GABEL | 025.30.100.001 | |
| 4 | 2 | Lock Washer | 16,2 X 27,4 X 3,5 DIN 127 | 002.50.100.004 | A |
| 5 | 2 | Hexagon Screw | M16 X 40 UNI 5739 8.8 ZN | 002.60.150.003 | A |
| 6 | 1 | Kit Roller | GL4 | 025.10.100.005 | |
| 7 | 1 | Roller Bracket | GL4-130-50/140-60 | 001.20.140.186 | |

## 025.10.100.005 - Kit Roller GL4





| Prosition | Menge | Bezeichnung | Modell | Kodex | Revision |
|---|---|---|---|---|---|
| 1 | 2 | Pin | D30 L=50 M16 X 30 | 002.10.100.006 | |
| 2 | 2 | Ball Bearing | D30 X D62 X 23,8 - 3206 2RS | 002.30.100.006 | |
| 3 | 2 | Cover Ring | D30 X D62 X 2 | 002.55.100.002 | A |
| 4 | 2 | Retaining Ring | D62 X 2,0 UNI 7437 | 002.50.130.001 | |
| 5 | 1 | Roller | GL4 | 002.45.120.012 | |
| 6 | 2 | Grease Nipple | M08 X 1 DIN 71412 | 002.60.120.006 | |

## 025.30.100.001 - Kit 3-Point Hose Clamp GABEL-GABEL




| Prosition | Menge | Bezeichnung | Modell | Kodex | Revision |
|---|---|---|---|---|---|
| 1 | 1 | Three-Point Tightener | D20-M20 | 002.60.170.004 | |
| 2 | 2 | Hexagon Screw | M20 X 55 UNI 5739 8.8 ZN | 002.60.150.025 | |
| 3 | 2 | Lock Nut | M20 DIN 982 | 002.35.110.006 | |

## 200.09.080.004 - Group Roller Scraper For Roller 0310 GL2 FIX/GL4W/GL4




| Prosition | Menge | Bezeichnung | Modell | Kodex | Revision |
|---|---|---|---|---|---|
| 1 | 2 | Threaded Rod | M16 X 130 | 001.30.121.044 | |
| 2 | 4 | Lock Nut | M16 X 1,5 DIN 982 | 002.35.110.009 | A |
| 3 | 4 | Lock Washer | 16,2 X 27,4 X 3,5 DIN 127 | 002.50.100.004 | A |
| 4 | 1 | Roller Wiper | GL4W/GL4 | 001.30.121.041 | |

## 060.90.100.036 - Drive Shaft 8G4N061CER07001 B&P



| Prosition | Menge | Bezeichnung | Modell | Kodex | Revision |
|---|---|---|---|---|---|
| 0 | 0 | Clutch Disc | 247000054R08 - B&P | 060.90.110.001 | |
| 1 | 1 | Drive Shaft - Drwing | 8G4N061CER07001 | 060.90.200.036D | |
| 2 | 1 | Protection | BONDIOLI G4 L=101 | 060.90.115.005 | |