
Spare parts


Maschinennummer
20156101801

Gerätename
BV2-REAR MOUNTING 145-195

Kunde
MG Equipment Co.




200.02.005.067 A - Blade Group BV-145



Prosition	Menge	Bezeichnung	Modell	Kodex	Revision
1	1	Blade	BV-145	005.10.110.089	B
2	1	Blade	BV-145	005.10.110.084	B


005.10.110.084 B - Blade BV-145



Prosition	Menge	Bezeichnung	Modell	Kodex	Revision
1	1	Drive Shaft (With Inner Cone)	BV	005.20.100.029	
2	1	Washer	D16 X D52 X 8	002.55.120.005	
3	2	Screws	BV M20 X 35	005.30.100.002	
4	2	Lock Nut	M20 X 1,5 DIN 982	002.35.110.012	
5	2	Lock Washer	16,2 X 27,4 X 3,5 DIN 127	002.50.100.004	A
6	1	Hexagon Screw	M14 X 45 UNI 5739 8.8 ZN	002.60.150.038	
7	1	Lock Washer	14,2 X 24,1 X 3,0 DIN 127	002.50.100.003	
8	2	Blade	BV	005.10.100.020	B
9	1	Blade Bracket	BV 145	005.15.100.020	
10	1	Reinforcing Plate	BV 145	005.50.100.014	

11	2	Hexagon Screw	M16 X 45 UNI 5739 8.8 ZN	002.60.150.058
12	2	Lock Nut	M16 DIN 982	002.35.110.005
13	2	Hexagon Screw	M16 X 50 SW27 UNI 5712 10.9 N	002.60.150.155


005.10.110.089 B - Blade BV-145



Prosition	Menge	Bezeichnung	Modell	Kodex	Revision
1	1	Drive Shaft (With Inner Cone)	BV	005.20.100.029	
2	1	Washer	D16 X D52 X 8	002.55.120.005	
3	2	Blade	BV	005.10.100.019	B
4	2	Screws	BV M20 X 35	005.30.100.002	
5	2	Lock Nut	M20 X 1,5 DIN 982	002.35.110.012	
6	2	Lock Washer	16,2 X 27,4 X 3,5 DIN 127	002.50.100.004	A
7	1	Hexagon Screw	M14 X 45 UNI 5739 8.8 ZN	002.60.150.038	
8	1	Lock Washer	14,2 X 24,1 X 3,0 DIN 127	002.50.100.003	
9	1	Blade Bracket	BV 145	005.15.100.020	
10	1	Reinforcing Plate	BV 145	005.50.100.014	


11	2	Hexagon Screw	M16 X 45 UNI 5739 8.8 ZN	002.60.150.058
12	2	Lock Nut	M16 DIN 982	002.35.110.005
13	2	Hexagon Screw	M16 X 50 SW27 UNI 5712 10.9 N	002.60.150.155

200.05.010.034 A - Group Fix Wheel SL-125-310




Prosition	Menge	Bezeichnung	Modell	Kodex	Revision
1	2	Kit Wheel	GL4-SL-BV D.200	025.10.100.001	A

025.10.100.001 A - Kit Wheel GL4-SL-BV D.200




Prosition	Menge	Bezeichnung	Modell	Kodex	Revision
1	2	Cover Ring D200	D25 X D52 X 4,5	002.55.100.001	
2	1	Pin	GL4	002.10.100.007	B
3	1	Lock Nut	M14 DIN 982	002.35.110.003	
4	1	Grease Nipple	M06 X 1 DIN 71412	002.60.120.001	
5	1	Retaining Ring	D25 X 2,0 UNI 7435	002.50.130.003	
6	1	Washer	15,0 X 28,0 X 2,5 DIN 125-A	002.55.110.006	
7	1	Wheel	D200 L=169	002.45.110.001	A
8	2	Ball Bearing	D25 X D52 X 20,6 - 3205-2RS	002.30.100.020	

200.01.100.044 F - Frame Group BV-145




Prosition	Menge	Bezeichnung	Modell	Kodex	Revision
1	8	Retaining Ring	D70 X 1,5 ISO 464 TYPE SB	002.50.130.009	
2	4	Grease Nipple	M10 X 1 DIN 71412	002.60.120.002	
3	4	Hexagon Screw	M12 X 20 UNI 5739 8.8 ZN	002.60.150.032	
4	2	Guide Tube	BV-145	001.30.140.003	
5	8	Bush	TFP 60 X 70 - 50	002.15.120.050	
6	1	Central Frame 145	BV-145	001.30.110.046	E
7	1	Frame Right	BV-145	001.30.110.387	G
8	1	Frame Right	BV-145	001.30.110.390	G

200.03.010.052 H - Driving Group BV-145 540/MIN



Prosition	Menge	Bezeichnung	Modell	Kodex	Revision
1	2	Roll Pin	8 X 60 UNI 6873	002.60.170.005	
2	2	Adjustment Spring	14 X 9 X 45 DIN 6885	002.20.130.011	
3	4	Vibration Buffer	D75 X 25 M12	002.60.180.002	
4	1	Hexagon Shaft	BV 145	001.30.150.003	A
5	8	Washer	15,0 X 28,0 X 2,5 DIN 125-A	002.55.110.006	
6	4	Washer	13,0 X 24,0 X 2,5 DIN 125-A	002.55.110.005	
7	4	Lock Nut	M12 DIN 982	002.35.110.001	
8	8	Countersunk Screw	M14 X 50 UNI 5933 10.9 ZN	002.60.160.010	
9	8	Lock Nut	M14 DIN 982	002.35.110.003	
10	2	Roll Pin	5 X 60 UNI 6873	002.60.170.001	
11	4	Washer	D13 X D30 X 1	002.55.110.038	
12	2	Grease Nipple	M10 X 1 DIN 71412	002.60.120.002	
13	1	Gearbox	DC140-M1,44B5WCH41	004.30.160.015	
14	1	Gearbox	C131-X-2,08CH41-C	004.30.160.020	
15	1	Gearbox	C131-2,08CH41-C	004.30.160.019	


004.30.160.015 - Gearbox DC140-M1,44B5WCH41



Prosition	Menge	Bezeichnung	Modell	Kodex	Revision
1	1	Housing		122.CARCASSA#1	
2	2	Retaining Ring		UNI7437-I-90	
3	1	Bearing		30207	
4	1	Bearing		6207	
5	1	Shaft		38.ALBERO	
6	1	Retaining Ring		UNI7436-E-35	
7	2	Space Disc		DIN98835X45X1	
8	1	Shaft Seal		NBR-TC-35-72-10	
9	5	Plug Scrwe Oil		3-8GAS-NPTF	
10	2	Bearing		32011	
11	2	Shaft Seal		NBR-TC-55-90-10	
12	1	Innensechskant Ch41		122.1,44P0	
13	1	Cover		38.COPERCHIO	
14	6	Hexagon Screw		5739M10X15-10.9	
15	1	Ring Gear		122.1,44C0	
16	1	Plug Scrwe Oil		3-8GAS-30A-CON	
17	1	Identificatione Plate		TARGHETTA-GT	
18	1	Space Disc		RAM90-.2	
19	1	Space Disc		RAM90-.3	
20	1	Space Disc		DIN98835X45X.1	
21	1	Space Disc		DIN98835X45X.25	

004.30.160.019 - Gearbox C131-2,08CH41-C

POS	COD.	QT.
1	3-8GAS-NPTF	2
2	3-8GAS-TC	3
3	UNI7437-I-90	3
4	RONDELLARAME3-8SP 1.5	4
5	TARGHETTA-GT	1
6	32210	2
7	68.PROTL#1	1
8	NBR-TC-45-90-10	1
9	RONDELLARAME3-4SP 1.5	1
10	3-4GAS-38A	1
11	GOM-3-8 MF	1
12	3-8GAS-30A-CIL	1
13	68.COPERCHIO#4	1
14	UNI5739-M10x20-10.9-Z	6
15	RAM90-.3	1
16	RAM90-.2	1
17	65.GHIERA	1
18	68.CARCASSA#6	1
19	32011	2
20	68.CANOTTO	1
21	NBR-TC-55-90-10	2
22	68.2,08P2	1
23	68.2,08C3	1



ratio transmission	input RPM	input rotation	input power HP	input power KW	input torque N.M	output torque N.M
1:2,08	540	CCW counterCW	82	60	1066	508

Gardini TECHNIK

PROPIETA' RISERVATA AI TERMINI DI LEGGE

Recommended Oil Type SAE 80W/90 GL5 — internal code 004.30.160.019

description code C131-2,08CH41-C(004.30.160.019) — group C131 — application


date	designer	weight KG	oil quantity	customer code	customer	scale	
19/12/2018	gardini	22.22				1:5	A3

Prosition	Menge	Bezeichnung	Modell	Kodex	Revision
1	2	Plug Scrwe Oil		3-8GAS-NPTF	
2	3	Plug Scrwe Oil		3-8GAS-TC	
3	3	Retaining Ring		UNI7437-I-90	
4	4	Seal		RONDRAME38SP1.5	
5	1	Identificatione Plate		TARGHETTA-GT	
6	2	Bearing		32210	
7	1	Coper Ring		68.PROTL#1	
8	1	Shaft Seal		NBR-TC-45-90-10	
9	1	Seal		RONDRAME34SP1.5	
10	1	Plug Scrwe Oil		3-4GAS-38A	
11	1	Ellbow		GOM-3-8 MF	
12	1	Plug Scrwe Oil		3-8GAS-30A-CIL	
13	1	Cover		68.COPERCHIO#4	
14	6	Hexagon Screw		5739M10X20-10.9	
15	1	Space Disc		RAM90-.3	
16	1	Space Disc		RAM90-.2	
17	1	Nut		65.GHIERA	
18	1	Housing		68.CARCASSA#6	
19	2	Bearing		32011	
20	1	Innensechskant Ch41		68.CANOTTO	
21	2	Shaft Seal		NBR-TC-55-90-10	

22	1	Drive Shaft	68.2,08P2
23	1	Ring Gear	68.2,08C3

004.30.160.020 - Gearbox C131-X-2,08CH41-C

POS	COD.	QT.
1	3-8GAS-NPTF	2
2	3-8GAS-TC	3
3	UNI7437-I-90	3
4	RONDELLARAME3-8SP 1.5	4
5	TARGHETTA-GT	1
6	32210	2
7	68.PROTL#1	1
8	NBR-TC-45-90-10	1
9	RONDELLARAME3-4SP 1.5	1
10	3-4GAS-38A	1
11	GOM-3-8 MF	1
12	3-8GAS-30A-CIL	1
13	68.COPERCHIO#4	1
14	UNI5739-M10x20-10.9-Z	6
15	RAM90-.3	1
16	RAM90-.2	1
17	65.GHIERA	1
18	68.CARCASSA#6	1
19	32011	2
20	68.CANOTTO	1
21	NBR-TC-55-90-10	2
22	68.2,08P4	1
23	68.2,08C2	1



ratio transmission	input RPM	input rotation	input power HP	input power KW	input torque N.M	output torque N.M
1:2,08	540	CW clockwise	82	60	1066	508

Gardini TECHNIK

PROPIETA' RISERVATA AI TERMINI DI LEGGE

Recommended Oil Type SAE 80W/90 GL5 | internal code 004.30.160.020


description code C131-X-2,08CH41-C(004.30.160.020) | group C131 | application

date	designer	weight KG	oil quantity	customer code	customer	scale	
19/12/2018	gardini	22.21				1:5	A3

Prosition	Menge	Bezeichnung	Modell	Kodex	Revision
1	2	Plug Scrwe Oil		3-8GAS-NPTF	
2	3	Plug Scrwe Oil		3-8GAS-TC	
3	1	Retaining Ring		UNI7437-I-90	
4	4	Seal		RONDRAME38SP1.5	
5	1	Identificatione Plate		TARGHETTA-GT	
6	2	Bearing		32210	
7	1	Coper Ring		68.PROTL#1	
8	1	Shaft Seal		NBR-TC-45-90-10	
9	1	Seal		RONDRAME34SP1.5	
10	1	Plug Scrwe Oil		3-4GAS-38A	
11	1	Ellbow		GOM-3-8 MF	
12	1	Plug Scrwe Oil		3-8GAS-30A-CIL	
13	1	Cover		68.COPERCHIO#4	
14	6	Hexagon Screw		5739M10X20-10.9	
15	1	Space Disc		RAM90-.3	
16	1	Space Disc		RAM90-.2	
17	1	Nut		65.GHIERA	
18	1	Housing		68.CARCASSA#6	
19	2	Bearing		32011	
20	1	Innensechskant Ch41		68.CANOTTO	
21	2	Shaft Seal		NBR-TC-55-90-10	


22	1	Drive Shaft	68.2,08P4
23	1	Ring Gear	68.2,08C2

200.04.010.064 A - Group Three-Point BV-145




Prosition	Menge	Bezeichnung	Modell	Kodex	Revision
1	2	Lock Nut	M20 DIN 982	002.35.110.006	
2	4	Washer	21,0 X 37,0 X 3,0 DIN 125-A	002.55.110.008	
3	2	Hexagon Screw	M20 X 50 UNI 5739 8.8 ZN	002.60.150.026	
4	1	Three Point	GL4	001.25.100.038	A
5	1	Flat Iron	BV 145	001.30.120.053	

001.25.100.038 A - Three Point GL4




Prosition	Menge	Bezeichnung	Modell	Kodex	Revision
1	1	Clevis 700	GL4	001.25.100.003	B
2	3	Pin Splint	D10	002.65.100.001	
3	2	Hexagon Screw	M20 X 90 UNI 5737 8.8 ZN	002.60.150.018	
4	2	Pin	D22 - D28 L=193	002.10.100.010	C
5	1	Support	GL4	002.25.115.001	
6	1	Hexagon Screw	M10 X 40 UNI 5737 8.8 ZN	002.60.150.105	
7	1	Hexagon Nut	M10 UNI 5589 ZN	002.35.100.010	
8	1	Lock Nut	M10 DIN 982	002.35.110.002	
9	1	Pin	D19 - D25 L=202	002.10.100.009	
10	5	Washer	21,0 X 37,0 X 3,0 DIN 125-A	002.55.110.008	
11	2	Lock Nut	M20 DIN 982	002.35.110.006	

200.07.010.156 A - Group Protections BV 145




Prosition	Menge	Bezeichnung	Modell	Kodex	Revision
1	1	Support	BV 110-125-145	001.40.200.041	
2	1	Protection	BV	002.25.100.003	
3	2	Spring Washer	12,2 X 21,1 X 2,5 DIN 127	002.50.100.002	
4	1	Chain Protection	BV 145	025.40.100.029	A
5	2	Chain Protection	BV 145	025.40.100.024	
6	1	Protection Gearbox Left	BV 145	001.40.200.032	A
7	1	Protection Gearbox Rigth	BV 145	001.40.200.017	A
8	4	Washer	09,0 X 32,0 X 2,0 DIN 9021	002.55.110.011	
9	2	Washer	13,0 X 24,0 X 2,5 DIN 125-A	002.55.110.005	
10	2	Hexagon Screw	M12 X 25 UNI 5739 8.8 ZN	002.60.150.033	
11	4	Hexagon Screw	M08 X 16 UNI 5739 8.8 ZB	002.60.150.065	

025.40.100.024 - Chain Protection BV 145




Prosition	Menge	Bezeichnung	Modell	Kodex	Revision
1	1	Washer	08,4 X 16,0 X 1,6 DIN 125-A	002.55.110.010	
2	1	Pin Bolt	D. 3 X 35 UNI 1336	002.65.110.001	
3	25	Chain 6 Rings	6 GLIEDER D7	002.25.110.004	
4	1	Rod For Chain Protection	BV 145	002.25.130.023	

200.08.010.040 - Group Hydraulic Equipment BV-145




Prosition	Menge	Bezeichnung	Modell	Kodex	Revision
1	4	Double Nipples	M1/4-M18 X 1,5	003.15.100.010	
2	4	Copper Sealing Ring	D23,5 X 18,5 X 1,5	003.45.100.006	
3	2	Double Nipples	M1/4 - M1/2	003.15.100.004	
4	2	Rapid Connector	M1/2	003.10.100.001	
5	2	Copper Sealing Ring	G1/2	003.45.100.001	
6	1	Hydraulic Cylinder	4213-40 X 20 X 280 (0459-0739)	003.55.100.041	
7	1	Hydraulic Cylinder	4212-45 X 20 X 280 (0459-0739)	003.55.100.042	
8	1	Hydraulic Hose	SAE R1AT W1/4-W1/490° L=1850	003.20.110.255	
9	1	Hydraulic Hose	SAE R1AT W1/4-W1/4 L=1800	003.20.110.268	
10	1	Hydraulic Hose	SAE R1AT W1/490-W1/490 L0300	003.20.110.474	
11	2	Hexagon Nut	M20 UNI 5588 ZN	002.35.100.016	
12	2	Rprotection Caps	G1/2 - GELB	003.10.105.003	
13	2	Hexagon Screw	M20 X 65 UNI 5739 8.8 ZN	002.60.150.036	
14	2	Hexagon Screw	M20 X 90 UNI 5739 8.8 ZN	002.60.150.095	
15	2	Lock Washer	20,2 X 33,6 X 4,0 DIN 127	002.50.100.006	
16	2	Hexagon Nut	M20 UNI 5589 ZN	002.35.100.005	
17	2	Lock Nut	M20 DIN 985	002.35.110.007	
18	2	Lock Washer	08,1 X 14,8 X 2,0 DIN 127	002.50.100.005	
19	2	Washer	09,0 X 32,0 X 2,0 DIN 9021	002.55.110.011	
20	2	Hexagon Screw	M08 X 20 UNI 5739 8.8 ZN	002.60.150.034	
21	1	Suport	2 X 1/4	001.20.135.001	

200.09.010.049 D - Gruppe Walze Std 530 BV-125/145




Prosition	Menge	Bezeichnung	Modell	Kodex	Revision
1	1	Kit 3-Point Hose Clamp	GABEL-GABEL	025.30.100.001	
2	2	Hexagon Screw	M16 X 45 UNI 5739 8.8 ZN	002.60.150.058	
3	2	Lock Washer	16,2 X 27,4 X 3,5 DIN 127	002.50.100.004	A
4	2	Lock Nut	M20 DIN 982	002.35.110.006	
5	1	Roller Bracket	BV-125/145	001.20.140.052	D
6	1	Kit Roller	GL4	025.10.100.007	
7	2	Hexagon Screw	M20 X 50 UNI 5739 8.8 ZN	002.60.150.026	

025.10.100.007 - Kit Roller GL4




Prosition	Menge	Bezeichnung	Modell	Kodex	Revision
1	2	Pin	D30 L=50 M16 X 30	002.10.100.006	
2	2	Ball Bearing	D30 X D62 X 23,8 - 3206 2RS	002.30.100.006	
3	2	Cover Ring	D30 X D62 X 2	002.55.100.002	A
4	2	Retaining Ring	D62 X 2,0 UNI 7437	002.50.130.001	
5	1	Roller 530 Bv 125	GL4	002.45.120.015	
6	2	Grease Nipple	M08 X 1 DIN 71412	002.60.120.006	

025.30.100.001 - Kit 3-Point Hose Clamp GABEL-GABEL



Prosition	Menge	Bezeichnung	Modell	Kodex	Revision
1	1	Three-Point Tightener	D20-M20	002.60.170.004	
2	2	Hexagon Screw	M20 X 55 UNI 5739 8.8 ZN	002.60.150.025	
3	2	Lock Nut	M20 DIN 982	002.35.110.006	

200.09.080.006 - Group Roller Scraper For Roller 0530 GL2 FIX/GL4/BV




Prosition	Menge	Bezeichnung	Modell	Kodex	Revision
1	2	Threaded Rod	M16 X 130	001.30.121.044	
2	4	Lock Nut	M16 X 1,5 DIN 982	002.35.110.009	A
3	4	Lock Washer	16,2 X 27,4 X 3,5 DIN 127	002.50.100.004	A
4	1	Roller Wiper	GL2 FIX/GL4/BV	001.30.121.038	

060.90.100.034 - Drive Shaft 7G5N071CU0071A2 B&P




Prosition	Menge	Bezeichnung	Modell	Kodex	Revision
0	0	Clutch Disc	247000054R08 - B&P	060.90.110.001	
1	1	Protection	BONDIOLI G5 L=121	060.90.115.006	
2	1	Drive Shaft - Drwing	7G5N071CE0071A2	060.90.200.034D	

100.90.500.002 - Twister W2 TWIS W*




Prosition	Menge	Bezeichnung	Modell	Kodex	Revision
0	0	Suport	2 X 1/4	001.20.135.001	
0	0	Suport	3 X 1/4	001.20.135.002	
0	0	Suport	4 X 1/4	001.20.135.003	
0	0	Suport	5 X 1/4	001.20.135.004	
0	0	Suport	6 X 1/4	001.20.135.006	
0	0	Suport	7 X 1/4	001.20.135.007	

200.02.005.144 G - Brush Group TWISTER-BV




Prosition	Menge	Bezeichnung	Modell	Kodex	Revision
1	1	Distance Bush	D50 X D60 X 14	002.15.100.040	
2	1	Cover Disk Bearing	D55 X D80 X 2	004.20.100.161	A
3	1	Retaining Ring	D50 X 2,0 UNI 7435	002.50.130.039	
4	2	Retaining Ring	D80 X 2,5 UNI 7437	002.50.130.017	
5	1	Hydraulicmotor	OT200 M08 SX/G23B5 G1/2-G3/4	003.40.150.013	
6	1	Grease Nipple	M10 X 1 DIN 71412	002.60.120.002	
7	1	Vibration Buffer	D30 X 25 M8	002.60.180.003	
8	2	Spring Washer	10,2 X 18,1 X 2,2 DIN 127	002.50.100.001	
9	2	Hexagon Screw	M10 X 95 UNI 5737 8.8 N	002.60.150.172	
10	2	Double Nipples	M1/2 - M1/2	003.15.100.001	
11	2	Copper Sealing Ring	G1/2	003.45.100.001	
12	1	Drive Shaft	TWISTER	005.15.105.002	C
13	1	Support Frame	TWISTER-BV	004.20.100.105	B
14	1	Distance Bush	D79 X D68 X 14	002.15.100.039	
15	10	Cord	D8 X 460	005.10.102.006	
16	3	Cord	D8 X 460	005.10.102.004	
17	2	Ball Bearing	D50 X D80 X 23 - 63010 2RS	002.30.100.031	
18	1	Radial Shaft Seal Ring	D55 X D80 X 8 DIN 3760-AS NBR	002.50.120.038	
19	13	Headless Screw	M08 X 25 DIN 913 ZB	002.60.110.003	

200.02.005.145 G - Brush Group TWISTER-BV




Prosition	Menge	Bezeichnung	Modell	Kodex	Revision
1	1	Distance Bush	D50 X D60 X 14	002.15.100.040	
2	1	Cover Disk Bearing	D55 X D80 X 2	004.20.100.161	A
3	1	Retaining Ring	D50 X 2,0 UNI 7435	002.50.130.039	
4	2	Retaining Ring	D80 X 2,5 UNI 7437	002.50.130.017	
5	1	Hydraulicmotor	OT200 M08 DX/G23B5 G1/2-G3/4	003.40.150.012	
6	1	Grease Nipple	M10 X 1 DIN 71412	002.60.120.002	
7	1	Vibration Buffer	D30 X 25 M8	002.60.180.003	
8	2	Spring Washer	10,2 X 18,1 X 2,2 DIN 127	002.50.100.001	
9	2	Hexagon Screw	M10 X 95 UNI 5737 8.8 N	002.60.150.172	
10	13	Headless Screw	M08 X 25 DIN 913 ZB	002.60.110.003	
11	2	Double Nipples	M1/2 - M1/2	003.15.100.001	
12	2	Copper Sealing Ring	G1/2	003.45.100.001	
13	1	Support Frame	TWISTER-BV	004.20.100.106	B
14	1	Drive Shaft	TWISTER	005.15.105.002	C
15	1	Distance Bush	D79 X D68 X 14	002.15.100.039	
16	10	Cord	D8 X 460	005.10.102.006	
17	3	Cord	D8 X 460	005.10.102.004	
18	2	Ball Bearing	D50 X D80 X 23 - 63010 2RS	002.30.100.031	
19	1	Radial Shaft Seal Ring	D55 X D80 X 8 DIN 3760-AS NBR	002.50.120.038	

200.06.010.156 A - Group Arm Support D.450 Bv-145 TWISTER-W2




Prosition	Menge	Bezeichnung	Modell	Kodex	Revision
1	1	Group Brush Inclination	TWISTER-BV	200.06.010.080	B
2	1	Group Brush Inclination	TWISTER-BV	200.06.010.079	B

200.06.010.079 B - Group Brush Inclination TWISTER-BV




Prosition	Menge	Bezeichnung	Modell	Kodex	Revision
1	2	Ball Bearing	D30 X D62 X 16 - 6206 2RS	002.30.100.007	
2	1	Retaining Ring	D30 X 1,5 UNI 7435	002.50.130.004	
3	2	Cover Ring D290	D30 X D62 X 1	002.55.100.003	A
4	1	Cover Ring	D30 X D62 X 2	002.55.100.002	A
5	1	Support Brush Sx Bv-145	TWISTER-BV	001.10.115.184	A
6	2	Hexagon Screw	M08 X 30 UNI 5739 8.8 ZN	002.60.150.054	
7	2	Hexagon Nut	M08 UNI 5587 ZN	002.35.100.004	
8	2	Lock Washer	08,1 X 14,8 X 2,0 DIN 127	002.50.100.005	
9	4	Washer	09,0 X 32,0 X 2,0 DIN 9021	002.55.110.011	
10	1	Spring	D29 X 3,5 X 110	002.20.130.006	
11	1	Grease Nipple	M06 X 1 DIN 71412	002.60.120.005	
12	1	Support Left	TWISTER-BV	001.10.115.124	C
13	1	Hexagon Screw	M12 X 35 UNI 5739 8.8 ZN	002.60.150.021	
14	1	Spring Washer	12,2 X 21,1 X 2,5 DIN 127	002.50.100.002	
15	1	Washer	D12,5 X D35 X 7	002.55.120.004	
16	2	O-Ring	OR 216 3,55 X 28,60	003.65.100.003	
17	1	Pestle	TWISTER	001.10.115.540	
18	1	Pin Bolt	TYP R D.4MM	002.65.110.006	

200.06.010.080 B - Group Brush Inclination TWISTER-BV




Prosition	Menge	Bezeichnung	Modell	Kodex	Revision
1	2	Ball Bearing	D30 X D62 X 16 - 6206 2RS	002.30.100.007	
2	1	Retaining Ring	D30 X 1,5 UNI 7435	002.50.130.004	
3	2	Cover Ring D290	D30 X D62 X 1	002.55.100.003	A
4	1	Cover Ring	D30 X D62 X 2	002.55.100.002	A
5	1	Support Brush Dx Bv-145	TWISTER-BV	001.10.115.185	A
6	1	Spring	D29 X 3,0 X 110	002.20.130.018	
7	2	Lock Washer	08,1 X 14,8 X 2,0 DIN 127	002.50.100.005	
8	2	Hexagon Screw	M08 X 30 UNI 5739 8.8 ZN	002.60.150.054	
9	2	Hexagon Nut	M08 UNI 5587 ZN	002.35.100.004	
10	4	Washer	09,0 X 32,0 X 2,0 DIN 9021	002.55.110.011	
11	1	Grease Nipple	M06 X 1 DIN 71412	002.60.120.005	
12	1	Support Right	TWISTER-BV	001.10.115.125	C
13	1	Hexagon Screw	M12 X 35 UNI 5739 8.8 ZN	002.60.150.021	
14	1	Spring Washer	12,2 X 21,1 X 2,5 DIN 127	002.50.100.002	
15	1	Washer	D12,5 X D35 X 7	002.55.120.004	
16	2	O-Ring	OR 216 3,55 X 28,60	003.65.100.003	
17	1	Pestle	TWISTER	001.10.115.540	
18	1	Pin Bolt	TYP R D.4MM	002.65.110.006	

025.60.100.007 A - Brush Protection D.450 Long - Rubber Flap TWISTER-BV




Prosition	Menge	Bezeichnung	Modell	Kodex	Revision
1	1	Protection	TWISTER	001.40.155.003	C
2	1	Protection	TWISTER-BV	001.40.155.030	A
3	12	Round Head Screw	M08 X 20 UNI7380 10.9 ZN	002.60.140.001	
4	12	Lock Nut	M08 DIN 982	002.35.110.008	
5	3	Lock Nut	M12 DIN 982	002.35.110.001	
6	3	Washer	13,0 X 24,0 X 2,5 DIN 125-A	002.55.110.005	
7	3	Round Head Screw With Square Under Head	M12 X 35 UNI 5732 8.8 ZN	002.60.155.002	
8	1	Brush Protection Left D.450 Long - Rubber Flap	TWISTER-BV	001.40.155.034	

025.60.100.008 A - Brush Protection D.450 Long - Rubber Flap TWISTER-BV



Prosition	Menge	Bezeichnung	Modell	Kodex	Revision
1	1	Brush Protection Right D.450 Long - Rubber Flap	TWISTER-BV	001.40.155.033	
2	1	Protection	TWISTER	001.40.155.003	C
3	1	Protection	TWISTER-BV	001.40.155.030	A
4	3	Washer	13,0 X 24,0 X 2,5 DIN 125-A	002.55.110.005	
5	3	Lock Nut	M12 DIN 982	002.35.110.001	
6	12	Round Head Screw	M08 X 20 UNI7380 10.9 ZN	002.60.140.001	
7	12	Lock Nut	M08 DIN 982	002.35.110.008	
8	3	Round Head Screw With Square Under Head	M12 X 35 UNI 5732 8.8 ZN	002.60.155.002	

200.08.070.002 B - Hydraulic Oil Cooler Kit TWISTER-BV



Prosition	Menge	Bezeichnung	Modell	Kodex	Revision
1	4	Washer	08,4 X 16,0 X 1,6 DIN 125-A	002.55.110.010	
2	1	Hydraulic Oil Cooler Kit	RAL30/2V12A40A	003.70.100.003	
3	4	Lock Washer	08,1 X 14,8 X 2,0 DIN 127	002.50.100.005	
4	4	Hexagon Screw	M08 X 20 UNI 5739 8.8 ZN	002.60.150.034	
5	12	Copper Sealing Ring	G1	003.45.100.002	
6	4	Double Nipples	M1-M3/4	003.15.100.011	
7	1	Electric Wire For Radiator		006.40.110.028	
8	1	Hydraulic Hose	SAE R2AT W3/490°-W3/4 L=0600	003.20.110.199	
9	1	Hydraulic Hose	SAE R2AT W3/490-W3/490 L0700	003.20.110.420	
10	2	Threaded Joint	M1 - W1	003.25.100.017	

11	2	T-Profile	G1 W-W-W	003.35.130.008
12	1	Bypass Valve	G1 8BAR	003.30.130.009
13	3	Double Nipples	M1-M1	003.15.100.018
14	1	Hydraulic Hose	SAE R2AT W3/4-W3/490° L=0800	003.20.110.201
15	1	Protection For Oil Cooler	TWISTER	001.40.200.234